

# Product datasheet

Specifications

## Cover frame, Miluz E, 1 gang, white



M3TB01\_WE

### Main

Range	Miluz
Product or component type	Cover frame
Colour tint	White
Main colour tint	White

### Complementary

Type of packing	Plastic bag
Material	PC: cover frame
Number of gangs	1 gang
Installation direction	Horizontal/vertical
Surface finish	Glossy
fixing mode	By click-in
Net weight	0.0223 kg
Height	120 mm
Width	80 mm
Depth	8 mm

### Environment

Standards	IEC 60670-1
Product certifications	IEC

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.0 cm
Package 1 Width	0.81 cm
Package 1 Length	12.0 cm
Package 1 Weight	24.1 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	9.3 cm
Package 2 Width	13.7 cm

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Package 2 Length</b>	18.7 cm
<b>Package 2 Weight</b>	551.0 g
<b>Unit Type of Package 3</b>	CAR
<b>Number of Units in Package 3</b>	480
<b>Package 3 Height</b>	29.0 cm
<b>Package 3 Width</b>	39.0 cm
<b>Package 3 Length</b>	59.5 cm
<b>Package 3 Weight</b>	14.351 kg



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint	1
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>
Halogen-free status	Halogen free product
PVC free	No
Silicone-free	No

## Use Again

### Repack and remanufacture

Recyclability potential, in %	17
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

---







