

# Product datasheet

Specifications



## German Socket Outlet, Miluz E, 16A 250V, 2 Pin with Earth UPS, 2 Module, Red

M3TB426\_UPS\_GR

### Main

Range	Miluz
Product or component type	Socket-outlet
fixing mode	Click-in

### Complementary

Device presentation	Basic element with full cover plate
Outlet standard description	Pin earth
Device mounting	Flush
Outlet standard deviation	German
Type of packing	Plastic bag
[In] rated current	16 A
[Ue] rated operational voltage	250 V AC
Material	PC (polycarbonate): cover PC (polycarbonate): base
Surface finish	Glossy
Conductor material	Copper
Number of modules	2 modules
Connections - terminals	Folded terminal
Cable stiffness	Flexible Rigid Solid stranded
Number of cables	2
Cable cross section	1.5 mm <sup>2</sup> 2.5 mm <sup>2</sup> 4.0 mm <sup>2</sup>
Wire stripping length	12 mm
Height	44.8 mm
Width	44.8 mm
Depth	39.75 mm
Net weight	0.0369 kg

### Environment

Standards	IEC 60884-1
Product certifications	IEC

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

IP degree of protection	IP20
-------------------------	------

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	4.5 cm
------------------	--------

---

Package 1 Width	4.0 cm
-----------------	--------

---

Package 1 Length	4.5 cm
------------------	--------

---

Package 1 Weight	37.8 g
------------------	--------

---

Unit Type of Package 2	BB1
------------------------	-----

---

Number of Units in Package 2	12
------------------------------	----

---

Package 2 Height	5.3 cm
------------------	--------

---

Package 2 Width	9.4 cm
-----------------	--------

---

Package 2 Length	27.0 cm
------------------	---------

---

Package 2 Weight	504.6 g
------------------	---------

---

Unit Type of Package 3	CAR
------------------------	-----

---

Number of Units in Package 3	240
------------------------------	-----

---

Package 3 Height	29.0 cm
------------------	---------

---

Package 3 Width	29.0 cm
-----------------	---------

---

Package 3 Length	39.0 cm
------------------	---------

---

Package 3 Weight	10.757 kg
------------------	-----------




## Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 <b>Environmental footprint</b>	
Total lifecycle Carbon footprint	1
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
REACH Regulation	<a href="#">REACH Declaration</a>
Halogen-free status	Halogen free product
PVC free	No

### Use Again


 <b>Repack and remanufacture</b>	
Recyclability potential, in %	0
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

---



