

Product datasheet

Specifications



International Socket outlet, Miluz E, 16A, 250V, 2 Module, White

M3TB426_IS

Main

Range	Miluz
Product or component type	Socket-outlet
fixing mode	Click-in

Complementary

Device presentation	Basic element with full cover plate
Outlet standard description	Pin earth
Device mounting	Flush
Type of packing	Plastic bag
[In] rated current	16 A
[Ue] rated operational voltage	250 V AC
Material	PC (polycarbonate): cover PC (polycarbonate): base
Surface finish	Glossy
Conductor material	Copper
Number of modules	2 modules
Connections - terminals	Screw clamp terminal
Cable stiffness	Flexible Rigid Solid stranded
Number of cables	2
Cable cross section	1.5 mm ² 2.5 mm ² 4.0 mm ²
Wire stripping length	12 mm
Height	44.8 mm
Width	44.8 mm
Depth	37.9 mm
Net weight	0.0434 kg

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	4.0 cm
Package 1 Length	4.5 cm
Package 1 Weight	43.7 g
Unit Type of Package 2	BB1
Number of Units in Package 2	12
Package 2 Height	5.3 cm
Package 2 Width	9.4 cm
Package 2 Length	27.0 cm
Package 2 Weight	575.4 g
Unit Type of Package 3	CAR
Number of Units in Package 3	240
Package 3 Height	29.0 cm
Package 3 Width	29.0 cm
Package 3 Length	39.0 cm
Package 3 Weight	12.173 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	1
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free product
PVC free	No

Use Again

Repack and remanufacture

Recyclability potential, in %	0
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative







