

Product datasheet

Specifications



TV socket, New Unica, mechanism, 1 module, F-Type, IP2xC, white

NU346818

Main

Range	New Unica
Product or component type	TV socket
Device application	Connection
Device presentation	Mechanism
Colour tint	White (RAL 9003)

Complementary

TV connector	F connectors
Number of modules	1 module
Material	Thermoplastic ABS-UV stabilised: mechanism cover
Surface finish	Glossy
surface treatment	Untreated
fixing mode	Clip-in
Depth	35 mm
Width	22.5 mm
Height	45 mm
Embedding depth	18 mm
Net weight	0.013 kg
Ambient air temperature for operation	-5...45 °C
Ambient air temperature for storage	-5...50 °C

resistance to chemical agents	Resistant to alcohol (70 %) Resistant to alcohol (96 %) Resistant to A-Lactic Acid Resistant to diluted quaternary ammonium Resistant to diluted bleach Resistant to diluted ammonia Resistant to soapy water Resistant to crystal cleaner Resistant to hydrogen peroxide 10 volumes Resistant to hexane
-------------------------------	---

Environment

IK degree of protection	IK04
IP degree of protection	IP2XC

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.2 cm
Package 1 Width	4.0 cm
Package 1 Length	4.5 cm
Package 1 Weight	11.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	50
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	1.303 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 1

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Average percentage of recycled plastic content 20 %

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

Recyclability potential, in % 57

Take-back No

WEEE Label  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins