

Product datasheet

Specifications



Universal Socket, Miluz E, 16A, 250V, 2 Pin, 1 Module, White

M3TB426_US

Main

| | |
|---------------------------|---------------|
| Range | Miluz |
| Product or component type | Socket-outlet |
| fixing mode | Click-in |

Complementary

| | |
|--------------------------------|---|
| Device presentation | Basic element with full cover plate |
| Device mounting | Flush |
| Outlet standard deviation | Universal |
| Type of packing | Plastic bag |
| [In] rated current | 16 A |
| [Ue] rated operational voltage | 250 V AC |
| Material | PC (polycarbonate): cover PC (polycarbonate): base |
| Surface finish | Glossy |
| Conductor material | Copper |
| Number of modules | 1 module |
| Connections - terminals | Screw clamp terminal |
| Cable stiffness | Flexible Rigid Solid stranded |
| Number of cables | 2 |
| Cable cross section | 1.5 mm ² 2.5 mm ² 4.0 mm ² |
| Wire stripping length | 12 mm |
| Height | 44.75 mm |
| Width | 22.3 mm |
| Depth | 36.35 mm |
| Net weight | 0.0247 kg |

Environment

| | |
|-------------------------|-------------|
| Standards | IEC 60884-1 |
| Product certifications | IEC |
| IP degree of protection | IP20 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 4.5 cm |
| Package 1 Width | 4.0 cm |
| Package 1 Length | 2.2 cm |
| Package 1 Weight | 24.2 g |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 20 |
| Package 2 Height | 5.3 cm |
| Package 2 Width | 9.4 cm |
| Package 2 Length | 27.0 cm |
| Package 2 Weight | 535.0 g |
| Unit Type of Package 3 | CAR |
| Number of Units in Package 3 | 400 |
| Package 3 Height | 29.0 cm |
| Package 3 Width | 29.0 cm |
| Package 3 Length | 39.0 cm |
| Package 3 Weight | 11.365 kg |



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

| | |
|----------------------------------|---|
| Total lifecycle Carbon footprint | 1 |
| Environmental Disclosure | Product Environmental Profile |

Use Better

Materials and Substances

| | |
|--|-----------------------------------|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | REACH Declaration |
| Halogen-free status | Halogen free product |
| PVC free | No |

Use Again

Repack and remanufacture

| | |
|---------------------------------|--|
| Recyclability potential, in % | 0 |
| End of life manual availability | No need of specific recycling operations |
| Take-back | No |

Image of product / Alternate images

Alternative







