

Product datasheet

Specifications



USB Type A+C, Miluz E, 2 Port, 2.4A, 12W, 1 Module, White

M3TB_USB_AC

Main

Range	Miluz
Product or component type	USB charger
Device application	USB charger
fixing mode	By claws By screws
Integrated connection type	2 USB port 5 V DC, maximum load current: 2.4 A
Operating system	Mac iOS Android Harmony

Complementary

Device mounting	Flush
Device presentation	Insert
Colour tint	White
Number of modules	1 module
Type of packing	Plastic bag
Quantity per set	1
Ambient air temperature for operation	0...40 °C
Ambient air temperature for storage	-5...60 °C
Relative humidity	10...90 %
[Ue] rated operational voltage	110/240 V AC +/- 10 % at 50/60 Hz
Power consumption in W	0.1 W
Nominal output power	12 W
Input power	14.5 W
Connector type	USB
maximum load current with 2 outputs used simultaneously	2.4 A
Material	PC (UL94 V-0)
Protection type	Overload of output voltage Thermal protection Current protection
Wire stripping length	103 mm
Product compatibility	Mobile/tablet
Height	44.75 mm

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Width	22.3 mm
Depth	39.9 mm
Embedding depth	31.2 mm
Net weight	30.2 g
Number of terminals	2 wire
Surface finish	Glossy
Service life in hours	30000 h

Environment

Directives	2006/95/EC - low voltage directive
Product certifications	low voltage directive 2006/95/EC
Standards	IEC/EN 62386-101
IK degree of protection	IK04
IP degree of protection	IP20
Electrical insulation class	Double insulation

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	4.1 cm
Package 1 Length	2.2 cm
Package 1 Weight	31.84 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	5.3 cm
Package 2 Width	9.4 cm
Package 2 Length	27.0 cm
Package 2 Weight	687.8 g
Unit Type of Package 3	CAR
Number of Units in Package 3	400
Package 3 Height	29.0 cm
Package 3 Width	29.0 cm
Package 3 Length	39.0 cm
Package 3 Weight	14.421 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	351
----------------------------------	-----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant
-----------------------------------	-----------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Halogen-free status	Product contains halogen above thresholds
---------------------	---

PVC free	Yes
----------	-----

Use Again

Repack and remanufacture

Recyclability potential, in %	17
-------------------------------	----

End of life manual availability	End of Life Information
---------------------------------	---

Take-back	No
-----------	----

Image of product / Alternate images

Alternative







